

## Size Characteristics for the Hyperbranched Polymers

*Wednesday, 23 December 2020 11:40 (20 minutes)*

In the present work we calculated size characteristics of periodic hyperbranched polymers in dilute solution in the vicinity of the  $\theta$  point using the continuous chain model. This model in its Gaussian approximation allows to receive exact solutions. Both the gyration radius and the hydrodynamic radius were calculated for the bottle-brush polymer and a tree-like one. We considered the size ratios  $\rho = \frac{\sqrt{\langle R_g^2 \rangle}}{\langle R_h \rangle}$  and  $g = \frac{\langle R_g^2 \rangle}{\langle R_{g,chain}^2 \rangle}$ , that allows to describe the characteristic sizes of this topologies. This types of ratios allow to shed some light on visco-elastic properties of polymer solutions.

**Primary author:** HAYDUKIVSKA, Khristine (Institute for Condensed Matter Physics NAS Ukraine)

**Co-author:** Dr BLAVATSKS, Viktoria (Institute for Condensed Matter Physics NAS Ukraine)

**Presenter:** HAYDUKIVSKA, Khristine (Institute for Condensed Matter Physics NAS Ukraine)

**Session Classification:** Condensed Matter Physics

**Track Classification:** Condensed Matter Physics